

Corpus Oudnederlands application manual

Table of contents

Introduction	3
Information about the corpus	3
Linguistic Annotation	4
Metadata categories	4
Date	4
Witness Year	4
Permissive / Strict	4
Localisation	5
Country	5
Area	5
Place	5
Kloeke location code	5
Text type	5
Fictionality	5
Genre	5
Subgenre	5
Title and author	6
Title	6
Author	6
Application user manual	7
Getting started	7
Searching the corpus	8
Simple search	8
Search	8
Wildcards	8
Reset	9
History	9
Global settings	9
Extended search	10
Upload a list of values	12
Part of Speech dialogue box	12
Cliticity	12
Complete word or word part	13
Filter search by	13
Filter by date	14
Filter by other metadata	14

Advanced search	15
The query builder	15
The tab Search	15
Token attributes	16
Adding attributes to a token box	16
Function of the two +-buttons in a token box	17
The tab Context	18
Managing sequences of token boxes	18
Uploading value lists in the query builder	18
Copy to CQL editor	19
Expert search	19
Copy to query builder	20
Import query	20
Gap filling	20
Viewing results	21
Per Hit view	22
Sorting results	22
Grouping results	23
Per Document view	24
Sorting results	24
Grouping results	25
Exporting results	26
Information about a document	26
Content	26
Metadata of a document	27
Statistics	27
Exploring the corpus	27
Documents	27
N-grams	28
Options	28
Example	29
Statistics (frequency lists)	29
Options	29
Example	29
Appendix: Corpus Query Language	31
CQL support	31
Supported features	31
Differences from CWB	32
(Currently) unsupported features	33
Using Corpus Query Language	33
Matching tokens	33
Sequences	34

Regular expression operators on tokens	34
Punctuation	34
Case- and diacritics-sensitivity	35
Matching XML elements	35
Labeling tokens, capturing groups	36
Global constraints	36

Introduction

This manual describes the corpus exploitation environment for the *Corpus Oudnederlands*. The corpus application is developed by the Dutch Language Institute (Instituut voor de Nederlandse Taal or INT). The backend of the application is the BlackLab Lucene based search engine developed for corpora with token-based annotation (<https://blacklab.ivdnt.org/>). The web-based frontend is a further development of the corpus-frontend application developed by INT (<https://github.com/instituutnederlandsetaal/blacklab-frontend>). Its design is inspired by the first version of the OpenSoNaR user interface by Tilburg University and Radboud University (<https://github.com/Taalmonsters/WhiteLab2.0>).

Information about the corpus

The *Corpus Oudnederlands* in the current release is a collection of all remaining Dutch word material from the period 475-1200 that served as source material for the *Oudnederlands Woordenboek* (ONW; *Dictionary of Old Dutch*). This collection of material consists of various components: three large texts (Wachtendonkse Psalmen, Leidse Willeram, Mittelfränkische Reimbibel) and numerous smaller Old Dutch texts and text fragments (including rune inscriptions), glosses and single words, Frankish material and toponymic material. More detailed information on how the corpus was compiled can be found [here](#).

A first online accessible version of the corpus was launched on 29 February 2012, in the form of a quotation database, in which it was not possible to search for consecutive words. The reason was that each word in a quotation had a record in the database, with linguistic annotation (Part of Speech and lemma), the full quotation and the metadata of the quotation. This version is no longer available.

In 2018, for the Nederlab project, the data from the relational database were converted into token by token linguistically annotated text, including corrections of the linguistic annotation and additional text metadata.

In this new version, several corrections have been made to the added metadata in the corpus and the linguistic annotation has been mapped to the TDN-tagset (see below).

Linguistic Annotation

The original Part of Speech tagging of the Corpus Oudnederlands was done according to the guidelines developed for the Dictionary of Old Dutch (ONW). The Corpus was tagged manually by the editors of the ONW.

The original Part of Speech tagging has been converted into the Part of Speech tagging that has been done using the tagset and tagging principles for the annotation of diachronic corpora of historical Dutch, developed in the context of the CLARIAH+ project. This annotation layer has been added to the corpus, and can also be used to search the online corpus. A detailed description can be found [here](#).

The Old Dutch word forms all have a modern Dutch lemma. For words no longer used in modern Dutch, a modern lemma has been constructed using the same linguistic principles applicable to still existing words. More information about the used lemmatisation principles can be found in [Lemmatiseerprincipes voor GiGaNT, het centrale lexicon van het INT](#).

Metadata categories

The *Corpus Oudnederlands* has also been enriched with an elaborate set of metadata categories. These metadata are described below. In the corpus application it is possible to limit a search by filtering on metadata categories.

Date

Witness Year

For each document in this corpus, we indicate the period in which the manuscript, providing us the text, was written. Witness Year does not necessarily refer to the period in which the text itself was written. It only concerns the carrier of the text.

Witness Year cannot be stated with the same accuracy for every document. For example, *Le Compte Général de 1187, connu sous le nom de "Gros Brief"* can be dated exactly to 1187, while the *Liber Traditionum Sancti Petri Blandiniensis* originated between 639-1200.

Permissive / Strict

It is possible to do a permissive and strict search for Witness Year. What exactly is the difference between the two options? An example can clarify this. Suppose you want to investigate sources that came into being between 800 and 825.

If you choose to do a Strict search by Witness Year, the search query will only result in manuscripts that were produced later than 800 but before 825. The *Corpus Oudnederlands* has two such documents: *Nederbergse doopbelofte*, which was handed down in a manuscript dating from the period 811-812 and *Runeninscriptie Bernsterburen*, dating from 800.

If, on the other hand, you choose the option Permissive in Witness Year, more documents are found, one of which is *Traditiones et antiquitates Fuldenses*, which was handed down in a manuscript dating from the period 822-845. This dating does indeed partly fall within the indicated period 800-825.

Localisation

Country

In this corpus, three countries are distinguished: België, Duitsland and Nederland.

Area

Within the above mentioned countries, the following areas are distinguished: Friesland, Groningen, Limburg, Nederberg, Noord-Holland, Noord-Nederrijn, Oostnederrijn-Westfalen, Utrecht, and Zuid-Nederrijn.

Place

If it was possible to determine exactly where a particular text originated or was found, this Place (in modern spelling) will be mentioned: Arum, Britsum, Egmond, Essen, Garnwerd, Loppersum, Munsterbilzen, Nederberg, Oostum, Raskwerd, Toornwerd, Werden and Westeremden.

Kloeke location code

In the 1920s, the Dutch dialectologist G.G. Kloeke designed a system with unique designations for thousands of places and hamlets in the Netherlands, Flanders, French Flanders and north-western Germany. Each Kloekecode consists of an uppercase letter followed by three digits and a lowercase letter, for instance K244p (Antwerp). It is possible to filter documents based on this so-called *Kloekecode*. More information about (searching with) the Kloekecode can be found [here](#).

Text type

Fictionality

All the documents in the *Corpus Oudnederlands* are considered to be non-fictional texts (non-fiction).

Genre

The texts are divided into two main genres: prose and verse.

Subgenre

The texts can be sorted out using one or more of the different subgenre labels (see the paragraph Filter search by). These labels may indicate a general text category as well as a more specific one; they may touch either the content of a text or its form.

- *Biblical text*: Bible, lectionaria, diatessara, bible books (Psalm, Song of Songs)
- *Glossary*: collection of glosses
- *History*: text with historical information
- *History, theology*: text with both historical and theological information
- *Legislative/administrative document*: official records, charters
- *Legendary biography*: description of the life of worldly leaders
- *Legendary hagiography*: description of the life of saints
- *Miscellaneous*
- *Probatio pennaе*
- *Religious*: texts dealing with religion or religious matters
- *Religious, secular*: texts dealing with both religious and non-religious matters

- *Runic Inscription*: inscription, dedication

Title and author

Title

This search field is provided with a list, which contains suggestions for search terms in alphabetical order, based on the characters typed in.

All 90 documents of this corpus come from different sources (see also the About).

Author

It is possible to search by author name. However, for almost all documents in this corpus the author is unknown or uncertain. Only seven names of authors of Old Dutch texts in this corpus have been handed down: Alfrid, Einhard, Galbert de Bruges, Hariulf, Jean de Klerk, Rudolfus Trudonensis and Willeram van Ebersberg.

Application user manual

The language of the corpus application is set to Dutch by default. Press the globe icon in the top right corner to select English.

Getting started

Here are a few examples of what you can do with the corpus application (the links will take you to the application):


- To search for a word literally in the form you specify, use Simple Search or Word in Extended Search.
 - Simple Search for [gisund](#)
 - Extended Search for Word [gisund](#)
- To search for different spellings and inflections/conversions of a given lemma, use Simple Search or Lemma in Extended Search.
 - Simple Search for [onrecht](#)
 - Extended Search for Lemma [onrecht](#)
- To search for words or lemmata satisfying a certain pattern, use *wildcards* in Simple Search or Extended search, or *regular expressions* in Advanced Search or Expert Search.
 - words and lemmata starting with *ver* and ending with *an* in [Simple Search](#)
 - only words starting with *ver* and ending with *an* in [Extended Search](#)
 - only lemmata starting with *ver* and ending with *an* in [Extended Search](#)
 - lemmata starting with *ver*, ending in *en* with (mostly) one syllable in between in [Advanced Search](#)
 - lemmata starting with *ver*, ending in *en* with (mostly) one syllable in between in [Expert Search](#)
- To search for a multi-word pattern, e.g. all adjectives appearing before a given lemma as a noun, use the query builder in Advanced Search or use Expert Search.
 - adjectives before the lemma *god* in [query builder](#) in Advanced Search
 - adjectives before the lemma *god* in [Expert Search](#)
- To see which unique forms occur as a result of your search, use Group Results.
 - example Group by annotation: [different adjectives before the word man](#)
 - example Group by annotation: [different words preceding the lemma god](#)
- To explore the distribution of document properties in the corpus, use the Explore feature.
 - example: [characteristics of the genres](#)
 - example: [subgenres in the corpus](#)

Searching the corpus

Simple search

Search

The Simple Search allows you to quickly search for specific words (e.g. *ban*) or lemmata (e.g. *banwerk*). After entering a search term, a running list appears, which contains suggestions for possible search terms in alphabetical order, based on the characters typed in.



It is also possible to enter a phrase: *ad banuuer* or *ad banuuer constituti sunt*. You will then find all occurrences of that exact phrase. Furthermore, you can search for different values simultaneously by separating them without spaces by a vertical line, e.g. *god|man|lief* or - with the use of wildcards - *god|aan*|hond*.

Keep in mind that when a historical word form corresponds with a modern Dutch lemma, you will not only find the desired historical word form, but also all word forms that can be traced back to that homonymous lemma. For instance, the search term *man* does not only result in all occurrences of *man*, but also in word forms e.g. *manne*, *manno*, *mannon*, *men*, *min*, which after all also belong to the lemma *man*. In order to only find the word form *man*, use the attribute Word in Extended Search.

Note that in Simple Search the patterns will be matched case-insensitively: *banuuer* will deliver the same results as *BANUUERC* or *Banuuer*. See the paragraph [Grouping results](#) in Per Hit view to see how it is nevertheless possible to distinguish between uppercase and lowercase letters, or go to Extended Search.

Wildcards

In Simple Search, the use of wildcards can prove good service to search for specific word forms or lemmata. A wildcard is a symbol used to replace or represent one or more characters. The following two wildcards are supported:

- * The asterisk matches any character zero or more times. Therefore, searching for *a*n* matches all word forms and lemmata that start with an *a* and end with an *n*, e.g. *amman*, *annen* and *Athalbern* but also *ana* (lemma *aan*), *antsceine* (lemma *antschijn*) and *anther* (lemma *aan+die*).
- ? The question mark matches a single character once. Therefore, searching for *b?n*

matches *only* three-letter values starting with a *b* and ending with an *n*, e.g. *bin*, *ban*, *ben* but also *bannum* (lemma *ban*) and *buna* (lemma *bun*).

This wildcard can be used more than once. Thus *b???n* matches *began*, *baden*, *bedon*, *bacon*, but also *brun* (lemma *bruin*), *bethis* (lemma *beren*) and *geboren* (lemma *beren*).

Note that searching with wildcards is limited to Simple Search and Extended Search. [In Advanced Search and Expert Search you can use so-called regular expressions instead of wildcards.]

Reset

You can start a new search by pressing the Reset button. By doing so, both the search query and the hits found will be cleared. Your search history, however, will remain unchanged.

Note that it is also possible to start a new search by entering a new word or phrase in the search field Word or lemma.

History

The History button will display your query history. Per search query there are several possibilities (as shown in the screenshot below): you can perform the search query again (Search), you can copy the search query as a link (Copy as link), you can download the search query as a file (Download as file), you can delete a single search query (Delete) or delete all search queries (Delete all).



Every search query has its own url. If you copy this url via History (Copy as link) or directly from the address bar of your browser, you can send it to someone else who can import this link via Import from a link. It offers that person the possibility to run the search on his own computer.

Global settings

The Global settings dialogue, activated by pressing the wheel button, allows you to configure five settings: Results per page, Sample size, Seed, Context size and Wide View.

- *Results per page*: you can choose whether you want 20, 50, 100 or 200 results to be shown;
- *Sample size*: selecting a value here will instruct the search engine to return a random sample drawn from the complete result set. The sample size can be limited by
 - a percentage of the total number of search results (percentage);
 - the number of results displayed (count).

- *Seed*: a ‘random seed’ is a number used to initialize a so-called pseudo-random number generator. Keeping the same seed will ensure that two samples drawn from the same result set are identical. A new seed will most likely result in a different sample;
- *Context size*: by entering a number you can determine the number of words Before hit and After hit;
- *Wide View*: the default setting is ‘small view’; you can change to Wide View by ticking the checkbox.

The image shows a 'Global settings' dialog box with the following controls:

- Results per page:** A dropdown menu showing '20 results per page'.
- Sample size:** A dropdown menu showing 'percentage' and a text input field containing 'Sample size'.
- Seed:** A text input field containing 'Seed'.
- Context size:** A text input field containing 'Context size'.
- Wide View:** An unchecked checkbox.
- Close:** A button at the bottom right.

Extended search

Like in Simple search, Extended Search allows you to quickly search for specific word forms or lemmata. The search is performed in the same way as described for Simple Search. In this corpus the five main attributes you can search for are Word (more precise: word form), Lemma, Part of Speech, Cliticity and Complete word or word part.

In the search field Word and Lemma enter the word(s) or lemma(ta) (or Upload a list of values) you are looking for. After entering a search term, a running list appears, which contains suggestions for possible search terms in alphabetical order, based on the characters typed in. Like in Simple Search, you can also enter a phrase for Word and/or Lemma. In the search fields Part of Speech, Cliticity and Complete word or word part you can select the desired values. All supported attributes are shown in the search form:

Search for ...

Simple

Extended

Advanced

Expert

Word

Word



Case- and diacritics-sensitive

Lemma

Lemma



Case- and diacritics-sensitive

Part of Speech

Part of Speech



Cliticity

Cliticity



Complete word
or word part

Complete word or word part



In Extended Search it is also possible to search case- and diacritics-sensitive. Note that the default setting for search is case- and diacritics-insensitive. For example, searching for the Word *maria* will result in seven occurrences of this name (*Maria*, *maria*). By ticking the box Case- and diacritics-sensitive you will only find 2 hits of the Word *maria*, but none of *Maria*. In order to directly find only occurrences of the Word (form) *Maria* (5x), use the search term *Maria* and tick the box Case- and diacritics-sensitive under the search field Word (as shown below).

Search for ...

Simple

Extended

Advanced

Expert

Word

Maria



Case- and diacritics-sensitive

Lemma

Lemma



Case- and diacritics-sensitive

Like in Simple Search, wildcards are supported in Extended Search. (See for a short explanation of wildcards [Simple Search](#).)

You can combine multiple fields (such as Word and Part of Speech) to form a single query. For example, searching for the Word (form) *was* together with the Part of Speech VRB will result in a list of all verbs containing the word form *was*. The syntax of your query is shown in the results: [\[word="was"&pos="vrb"\]](#).

Upload a list of values

At the right side of the search fields Word and Lemma, there is an option to Upload a list of values; those values must all be separated by a white space. Note that this function only works for *.txt-files. (If you are using a text editor like Word, you have to save your file as a *.txt-file first.)

Every word in the uploaded file will be added to the list of values to search for. To remove the word list simply delete all text in the search field or press the Reset button.

Part of Speech dialogue box

Clicking on the pencil next to the search field Part of Speech provides you with the Part of Speech dialogue box.

Part of Speech

Adjective-Adverb	<input type="checkbox"/> Copula	<input type="checkbox"/> Finite	<input checked="" type="checkbox"/> Present	<input type="checkbox"/> Indicative	<input type="checkbox"/> Singular	<input type="checkbox"/> 1
Adposition	<input type="checkbox"/> Auxiliary	<input type="checkbox"/> Infinitive	<input type="checkbox"/> Past	<input type="checkbox"/> Conjunctive	<input checked="" type="checkbox"/> Plural	<input type="checkbox"/> 1 or 3
Adverb	<input type="checkbox"/> Unclear	<input type="checkbox"/> Present participle	<input type="checkbox"/> Unclear	<input type="checkbox"/> Imperative	<input type="checkbox"/> Unclear	<input type="checkbox"/> 2
Conjunction		<input type="checkbox"/> Past participle		<input type="checkbox"/> Unclear		<input type="checkbox"/> 3
Interjection		<input type="checkbox"/> Unclear				<input type="checkbox"/> Unclear
Common Noun	Valency	Conjugation	Verb class			
Proper Noun	<input type="checkbox"/> Transitive	<input type="checkbox"/> Strong	<input type="checkbox"/> 1			
Numeral	<input type="checkbox"/> Transitive or intransitive	<input type="checkbox"/> Strong or irregular	<input type="checkbox"/> 2			
Pronoun-Determiner	<input type="checkbox"/> Transitive or reflexive	<input type="checkbox"/> Strong or irregular or preterite present	<input type="checkbox"/> 3a			
Residual	<input type="checkbox"/> Intransitive	<input type="checkbox"/> Strong or preterite present	<input type="checkbox"/> 3b			
Verb	<input type="checkbox"/> Reflexive	<input type="checkbox"/> Weak	<input type="checkbox"/> 4			
	<input type="checkbox"/> Impersonal	<input type="checkbox"/> Weak or irregular	<input type="checkbox"/> 5			
	<input type="checkbox"/> Unclear	<input type="checkbox"/> Irregular	<input type="checkbox"/> 6			
		<input type="checkbox"/> Irregular or preterite present	<input type="checkbox"/> 7			
		<input type="checkbox"/> Preterite present	<input type="checkbox"/> Unclear			
		<input type="checkbox"/> Unclear				

pos="VRB"&pos_tense="pres"&pos_number="pl"

Reset Ok

For most of the categories on the left you can tick certain features to further specify your search query. By doing so you can for instance delimit your search, as shown in the above screenshot. The query Verb - present - plural will result in *hebban* and *[u]mbida[n]* and numerous other hits.

Cliticity

This attribute enables you to distinguish between clitical and non-clitical forms in your search. For instance if you are interested in all clitical wordforms containing the modern lemma *ik* ('I') you should fill in *ik* at Lemma and choose clitic at Cliticity. Both search queries will be combined, as can be seen in the search query:

Results for: [lemma="ik"&isclitic="clitic"] within all documents

This search results in hits such as *námír* [NA+IK] and *woldik* [WILLEN+IK].

Complete word or word part

This option makes it possible to search for words that are split into two or more parts. Think of separable compound verbs as the infinitive *afnemen* (‘to take off’; conjugated form *nam ... áue*, ‘took off’) and pronominal adverbs as *thar umbe* (daarom). Keep in mind that you can only find both parts at the same time using Lemma (*afnemen*) and the option part. If you are specifically looking for just one of the composing parts (e.g. *áue*), you can enter that separate part in Word and click on the option part. In order to find all occurrences with that word part, it is necessary to take into account the different spelling variants of that word part (e.g. *aua*, *abe*). A possible [search query](#) to find all these forms is:

The screenshot shows a search interface with a dark red header containing 'Search' and 'Explore' tabs. Below the header, the search criteria are displayed as follows:

- Search for ...** (with sub-tabs: Simple, Extended, **Advanced**, Expert)
- Word:** Input field contains 'a*', with a 'Case- and diacritics-sensitive' checkbox (unchecked).
- Lemma:** Input field contains 'af*', with a 'Case- and diacritics-sensitive' checkbox (unchecked).
- Part of Speech:** Dropdown menu set to 'Part of Speech'.
- Cliticity:** Dropdown menu set to 'Cliticity'.
- Complete word or word part:** Dropdown menu set to 'part'.

At the bottom of the search form, there are four buttons: 'Search' (dark red), 'Reset', 'History', and a settings gear icon.

Results for: [word="a.*"&lemma="af.*"&iswordpart="part"] within all documents

Filter search by

At the right side you will find the option to limit your query to a subset of documents with specific metadata values. You can apply different filters for Date (*Witness Year*), Localisation (*Country, Area, Place, Kloeke location code*), Text type (*Fictionality, Genre, Subgenre*) and Title and author (*Title, Author*). To view the results for all documents simply leave the attributes in the filtering form empty.

Filter by date

You can select specific dates by entering the same data in the 'from' row as in the 'to' row. If you do not enter a date, the entire corpus is searched. If you want to filter by another date or another period, please press the reset button.

Filter by other metadata

You can choose one or more values from a drop-down list - for instance Area. You can pick one of these values by clicking on it; your choice will be marked with a tick. It is possible to choose several values. If you want to delete a selection, you can click on the corresponding line again. To close the drop-down list, you can either press the upward pointing arrow in the upper right corner or simply press escape.

Filter search by ...

Date **Localisation** **Text type** 1 **Title and author**

Fictionality

Fictionality ▾

Genre

prose ▲

prose ✓

verse

Genre (Text type): *PROSE*

Selected subcorpus:

Total documents: 87 (96.7%)

Total tokens: 53.522 (86.9%)

By means of a number at the top of Filter search by, the number of values used to filter on, is displayed as can be seen in the above screenshot.


For a detailed description of the metadata, see the section [Metadata categories](#).

Advanced search

The query builder

The basic building block in the query builder is the *token box* (see below). Each box represents a token - usually just a single word - or a simple repetition of tokens; when multiple tokens are used, they are matched in order from left to right.

You can use the query builder to create complex queries without writing CQL (here: Corpus Query Language). Therefore, it is easy to use.



A token box in the querybuilder has two tabs: Search and Context.

The tab Search

The tab Search contains a set of attributes a token in the corpus must have to be matched by the query. By clicking the +-button on the right hand side of this token, you can add new attributes (see below). Then enter a value that the attribute must have for the token to be found. The search command `Lemma=lief & Part of Speech=Common Noun` for example excludes all forms of *lief* as an adjective.

The CQL query generated to match this token (the *token query*) in the corpus is displayed in the top bar of the box, to help you understand what is happening internally. The following applies to our example:

[lemma = "lief" & pos = "NOU-C"]

Search Context

✘ Lemma = lief

Case- and diacritics-sensitive

AND

✘ Part ... = Common Noun

Case- and diacritics-sensitive

+

Token attributes

Specifying token attributes is similar to the Extended Search form. Select which attribute a token should have, and enter the value that the attribute must have for the token to be matched. Attributes in the query builder are interpreted as *regular expressions*. Note that this is different from the Extended Search, where token patterns use wildcards.

Going beyond single-attribute token queries, a token box also allows you to combine several attributes and to specify repetition options.

Adding attributes to a token box

Using the +-button, new attributes can be added. Two options exist: *AND* and *OR*.

The *AND* option creates a new attribute restriction that a token must match in addition to the ones which were already there. As an example: suppose we want to match *zijn* ('to be') as a verb, not as a pronoun. First, fill in the attribute Lemma with value *zijn*, then click +, choose *AND*, and choose the value Verb for Part of Speech.

[lemma = "zijn" & pos = "VRB"]

Search Context

✘ Lemma = zijn

Case- and diacritics-sensitive


AND

✘ Part ... = Verb

Case- and diacritics-sensitive

+

Similarly, creating a new attribute using *OR* will create a token query matching tokens that have the original attribute *or* the new attribute. For instance, enter *Word=er* first, add a new attribute with the *OR* option and enter Adverb as Part of Speech to match tokens with Part of Speech tag adverb or with word form equal to *er*.





Function of the two +-buttons in a token box

The difference between the +-sign on the right of an attribute and the one below it, is that the +-sign on the right keeps the newly added attribute 'within a subclause'. This is most easily explained by means of an example.


Suppose we want to search for either *goed* or *lief*, used as a noun. If we add the attributes in the order Part of Speech=Common Noun AND Lemma=*goed*, OR Lemma=*lief* using the +-signs **below** the attributes, as in the left screenshot below, we get the token query [(pos = "NOU-C" & lemma = "goed") | lemma = "lief"]. This will also match adjective forms of *lief*, as in *Thes scalt thu nu liebe uater ezzen turch thinen willen haben ich iz gewonnen*, where *liebe* is an adjective, so this is not what we were after.

If, on the other hand, we add OR lemma=*lief* with the +-sign to the **right** of the attribute Lemma=*goed*, it will be inserted in a subclause (Lemma=*lief* OR Lemma=*goed*), thus resulting in the correct query [pos = "NOU-C" & (lemma = "goed" | lemma = "lief")], as shown in the right screenshot below.



The tab Context

The tab context specifies the contextual properties, such as whether the token occurs at the end of a sentence, and the repetition pattern. However, since most Old Dutch texts lack punctuation, it is not always meaningful to use this function.



Managing sequences of token boxes

There are three ways to manage the sequence and the number of token boxes:

- *Rearrange* a token by clicking on the arrow in the top-left corner of a box (1). This arrow only appears if there are multiple token boxes.
- *Delete* a token by clicking the x in the top-right corner of a box (2).
- *Create a new token box* by clicking the + -button next to the upper right corner of the utmost right token box (3).


↓ (1)

↓ (2)

↓ (1)

↓ (2)

↓ (3)



Uploading value lists in the query builder

It's also possible to upload a list of values, separated by a white space. To do so, click the upload button (with the arrow pointing upwards) and select a text file. Tokens will then be matched for any of the values from the file.

Note that this function only works for *.txt-files. If you are using a text editor like Word, you have to save your file as a *.txt file or you can copy and paste the values into a *.txt-file first.

After uploading a file, the text can be edited by clicking the yellow marked text field. Editing the text is temporary and will not modify your original file.

To remove an uploaded file and go back to typing a value, click on the cross (x) next to the yellow text box. Another possibility to clear the uploaded values is by clicking the yellow marked text field and then pressing the Clear button on the bottom left corner of the Edit box. Using the Reset button will start a complete new search.

Copy to CQL editor

You can use the query builder to create complex queries without writing CQL. Any time a query is created in the querybuilder, it can be copied to the CQL editor, where you can further edit the query by hand. This will take you automatically to the Expert Search screen, after which you can start the search or adjust the query if desired.

Copy to CQL editor

Expert search

The Corpus Query Language (CQL) editor allows you to type your own CQL query, to copy your query into the query builder (in Advanced Search), to import a previously downloaded query and to upload a tab separated list of values to substitute for gap values (see below for further explanation).

CQL queries are expressions built up with the help of a few sequence operators and brackets from basic blocks enclosed by square brackets, in each of which one or more token attributes are specified (these correspond to the token boxes in the query builder).

In CQL, spaces only affect a search if they are included in quotes. Whether the search command is `[word="man"]` or `[word = "man"]` (or just "man") does not make any difference to the result. However, there is a difference between the queries `[word="man"]` and `[word=" man"]`. The first search results in 35 hits, but the second one in zero!

Some examples:

- Simple: `[word="man"]`, e.g. the attribute word matches the regular expression *man*; `[word!="man"]`, e.g. the attribute word does **not** match the regular expression *man*; `[lemma=".*man"]` matches all lemmata ending with *man*, including *man* itself. (Note that `[lemma="*man"]` will not give any results, because in Expert Search an asterisk is not a wildcard but a repetition operator.)
- Simple sequence: `[pos="PD"][lemma="willen"]` matches all occurrences of the lemma *willen* preceded by a pronoun.
- Combination of attributes (combining operators are &, |, !), e.g. `[word_or_lemma="goed" & pos!="AA"]` or - equivalently - `[word_or_lemma="goed" & !pos="AA"]` matches all occurrences of *goed*, not being an adjective.
- Repetition operators: `[pos="NOU-C"]{3}` matches a sequence of 3 common nouns, `[pos="NOU-C"]{2,4}` matches a sequence of 2 to 4 common nouns, `[pos="NOU-C"]{3,}` matches a sequence of 3 or more common nouns.
- The empty [] matches any token, e.g. `[pos="AA"] []{2} [pos="AA"]` matches two adjectives with 2 arbitrary tokens in between.
- Operators |, & and parentheses () and the repetition operators (+, *, ? and {}) can be used to build complex sequence queries. Example: `"dijn" "heer" | "zijn" "zoon"`, or even `("dijn" "heer" | "zijn" "zoon")+`, matching any sequence of *dijn heer* or *zijn zoon*. Note that, while most queries up to this point could also have been constructed with the query builder, we really need the power of CQL from here on.

This short list does not cover all CQL features. For more detailed information on how to write CQL, please consult the short [Appendix: Corpus Query Language](#), which contains further pointers.

Copy to query builder

When the query is relatively simple - like `[lemma="*.man"][pos="nou-c"]` - it can also be imported into the querybuilder using the *Copy to query builder* button. This will take you automatically to the Advanced Search screen, after which you can start the search or adjust the query if desired.

A message will be displayed next to the button if the query couldn't be parsed.

Import query

If you have entered a search query, you can find it back by clicking the History button. On the right hand side you can select Download as file in the drop-down menu (default value is Search) and save the file. (For a more elaborate description of the History button see [Simple Search](#).)

Previously saved queries can be used again by uploading them through the Import query button.

Gap filling

Use this button to upload a Tab Separated Values (TSV) file, which is a simple text format for storing data in a tabular structure. Each record in the table is one line of the text file. Each field value of a record is separated from the next by a tab character. It is also possible to upload a plain text file (.txt) that has the same properties.

A .tsv file or a comparable .txt file enables you to complete a query with marked gaps.

If, for instance, you are interested in the distribution of adjectives you can create this query in the Corpus Query Language field:

```
[lemma="@@"][pos="AA"][lemma="@@"]
```

By clicking Gap-filling you can upload a file with a tab-separated list of values from your computer to substitute them for the gap values, i.e. the at signs (@@) in your query. After the upload your values will appear in a separate box:

Search for ...

Simple

Extended

Advanced

Expert

Corpus Query Language: ⓘ

```
[lemma="@@"][pos="AA"][lemma="@@"]
```

Copy to query builder

Import query

Gap-filling



```
die  volk
dat  kruis
een  koning
```

The values in the first column - *die*, *dat*, *een* - will be entered at the position of the first gap (@@) and the values in the second column - *volk*, *kruis*, *koning* - at the position of the second gap (@@). With these values, gap-filling yields the following results (titles are hidden):

Before Hit ▾	Hit ▾	After Hit ▾	Lemma	Part of Speech with features
...herren	ein	the hiez Cosdras.	EEN GRIM	PD(type=indef,subtype=art,position=prenom,case=nom,number=sg,gender=m)
Inperside tho	grimme	Ther tho...	KONING	AA(degree=pos,position=prenom postnom pred,case=nom,number=sg,gender=m) NOU-
geweldig was	kunig			C(number=sg,case=nom,gender=m)
...cristenheit her	that	gewedeliche ande	DAT	PD(type=dem,subtype=art,position=prenom,case=acc,number=sg,gender=n) AA(degree=pos,position=prenom
ce stordo Ande	heilige	uorde iz insin...	HEILIG	postnom pred,case=acc,number=sg,gender=n) NOU-C(number=sg,case=acc,gender=n)
nam	cruce		KRUIS	
...zû ierusalem	thaz	quam inthaz lant	DAT	PD(type=dem,subtype=art,position=prenom,case=acc,number=sg,gender=n) AA(degree=pos,position=prenom
uant thie turch	heilige	Then sie...	HEILIG	postnom pred,case=acc,number=sg,gender=n) NOU-C(number=sg,case=acc,gender=n)
	cruce		KRUIS	
...sie ire sageten	thaz	uerborgen habeten	DAT	PD(type=dem,subtype=art,position=prenom,case=acc,number=sg,gender=n) AA(degree=pos,position=prenom
war sie	heilige	Sie sageten thaz...	HEILIG	postnom pred,case=acc,number=sg,gender=n) NOU-C(number=sg,case=acc,gender=n)
	cruce		KRUIS	

This mimics the functionality to upload a list of values in the Extended Search and Advanced Search interfaces.

Please note that for this to work, you do need to enter @@ in the field where you want the substitution to take place. An empty field ([]) will match any term.

Viewing results

Results can be viewed in two ways: Per hit (hit is defined as one token or a group of tokens that matched the query), or Per document (each document listed contains at least one hit).

Per Hit view

Click a hit - i.e. a line with the bold word(s) in the column Hit - to display the properties and values of the hit (in the following example **that heilige cruce**). Click the hit again to close.

Document id: INT_aa8c5b44-fce0-4467-b33e-0a96fcf80da0 **emma** **Part of Speech with features**

Mittelfränkische Reimbibel A

...cristenheit her **that** geweldeliche ande DAT PD(type=dem,subtype=art,position=prenom,case=acc,number=sg,gender=n) AA(degree=pos,position=prenom]
 ce stordo Ande **heilige** uorde iz insin... HEILIG postnom|pred,case=acc,number=sg,gender=n) NOU-C(number=sg,case=acc,gender=n)
 nam **cruce** KRUIS

...zo unses herren handen was gekart (...) Thar ana ge nagelet waren the hande unses herren Inperside tho geweldig was ein grimme kunig the hiez Cosdras. Ther tho manige lant betuang zo siner hant Her begreif egyptum ande syriam. ande uúr thoze ierosolimam. The stat her zeuörde the cristenheit her ce stordo Ande nam **that heilige cruce** geweldeliche ande uorde iz insin riche [Up] einen siluerinen turren liez her iz füoren The túrn was groz ande erlig her solde sin themo himile gelig Inthemo himilze stont thaz gestéine beithe groz ande cleine Minnere ande merre also an themo himile that gestirne Bôuon themo saz Cosdras, ther herro...

Property	value
Word	that
Word id	w.27631
Lemma	DAT
Part of Speech	PD(type=dem,subtype=art,position=prenom,case=acc,number=sg,gender=n)
with features	AA(degree=pos,position=prenom postnom pred,case=acc,number=sg,gender=n) C(number=sg,case=acc,gender=n)

Hit rows are always preceded by a row containing the document title in which those hits occurred, in this case *Mittelfränkische Reimbibel A*. The document titles can be toggled on or off by using the Hide Titles (or Show Titles when titles are hidden) button at the bottom of the page. If you hover the mouse over the title, the identification number of the document appears, in this case: INT_aa8c5b44-fce0-4467-b33e-0a96fcf80da0.

Sorting results

Click on any of the column headings to sort the hits on values within the column, clicking again inverts the sorting. Extra sorting options are given when clicking on Before hit, Hit and After hit: you can sort by various attributes, as shown below.

Before Hit ▾ **Hit** ▲ **After Hit** ▾

(Expositio) Willerammi Eberspergensis Abbatis in Canticis

...uan thero douphe ze thero
 ...ze thero cruce uan themo
 ...wundon thie ich in themo
 ...clauorum et lanceę an themo
 ...palmboum ich meino an thaz


Mittelfränkische Reimbibel A

...júthen uiengen ande an ein
 ...he lieze petrum an ein
 that mis...

Sort by...


- Basics
- Word
- Lemma
- Part of Speech
- Part of Speech with features

You can also sort the results by means of the drop-down menu at the bottom of the page (Sort by...), which offers you the possibility to sort by various attributes for Hit, Before hit, After hit, Date, Localisation, Text type and Title and author.



Grouping results

It is possible to group the results by clicking on the button Group Results, after which the following menu appears:



Results can be grouped by Annotation and by Metadata.

By clicking +Annotation you can group by the first word, by all words or by specific words, whether before the hit, within the hit or after the hit, and based on the annotation Word, Lemma, Part of Speech or Part of Speech with features. When grouping by the first word or specific words, you can also group from the end of the hit. The default grouping is grouping all words within the hit using annotation Word. Clicking +Metadata allows you to group by metadata assigned to the document (Date, Localisation, Text type, Title and Author).

By clicking the Case sensitive box it is possible to distinguish between case sensitive and case insensitive.

The example below is grouped by the first word before the hit. The example dynamically updates when the grouping options are changed.

Group Results + Annotation + Metadata ✕

first Word before hit ✕

I want to group on the first word ▾ before the hit ▾ using annotation Word ▾

Case sensitive:

frumento, et de quocumque tres | denarii |

frumento, e de quocumque tres denarii

Clear Group

Click a group to show or hide hits within that group, as shown below. Click once more on the group to close it again. If more than twenty hits are found in a document, you can make them appear by clicking on Load more concordances.

Group	#hits in group	Relative frequency (hits)
sunt	83	0.135%
dc	44	0.0714%

Before Hit	Hit	After Hit
...alterius deposuerit, mallobergo rabanal DC	denarii	qui faciunt solidos XV culpabilis...
...concisam incenderit, mallobergo bila DC	denarii	qui faciunt solidos XV culpabilis...
...manum strinxerit, mallobergo chamino DC	denarii	qui faciunt solidos XV culpabilis...
...furtum praeserit, mallobergo flemere DC	denarii	qui faciunt solidos XV culpabilis...
...mal. anthedio hoc est DC	denarii	qui faciunt solidos XV soluat...
...ruperit, mallobergo urbis uia lacinia DC	denarii	qui faciunt XV solidos culpabilis...
...eum caballicauerit, mallobergo rosidio DC	denarii	qui faciunt solidos XV, quando...
...alteri excusserit, mallobergo channi chleura DC	denarii	qui faciunt solidos XV culpabilis...
...dentem excusserit, mallobergo laclabina DC	denarii	qui faciunt solidos XV culpabilis...
...digitum excusserit, mallobergo taphano DC	denarii	qui faciunt solidos XV culpabilis...
...digitum excusserit, mallobergo malegano DC	denarii	qui faciunt XV solidos culpabilis...
...excussus fuerit, mallobergo minecleno DC	denarii	qui faciunt solidos XV culpabilis...
...moechatus fuerit, mallobergo theoliasina DC	denarii	qui faciunt solidos XV culpabilis...
...aliena furauerit, mallobergo leodardi, DC	denarii	qui faciunt solidos XV culpabilis...
...horto fuerit, mallobergo ortobaum DC	denarii	qui faciunt XV culpabilis iudicetur...
...portare potuerit, mallobergo leodardi DC	denarii	qui faciunt solidos XV culpabilis...
...furtum uindemiauerit, mallobergo leodardi DC	denarii	qui faciunt solidos XV culpabilis...
...deruperit, mallobergo orbis uia lazina DC	denarii	qui faciunt XV culpabilis iudicetur...
...aut capulauerit, mallobergo leodardi DC	denarii	qui faciunt solidos XV culpabilis...
...de fluuio, mallobergo obduplo DC	denarii	qui faciunt solidos XV culpabilis...

mdccc	14	0.0227%
mcc	11	0.0179%
cxx	10	0.0162%
mmd	8	0.013%
mcccc	7	0.0114%
viiim	6	0.00974%


Click on View detailed concordances to go back to the normal hits view to see more detailed information for the hits in this group. The button Go back to grouped results brings you back to the list of groups.

Per Document view

Sorting results

Click on any of the column headings to sort the documents by Document (name), Witness year or Hits within that column, clicking again inverts the sorting.

You can also sort the results by means of the drop-down menu at the bottom of the page (Sort by...), which offers you the possibility to sort by various attributes such as Hit (Documents), Country (Localisation) or Genre (Text type).



Grouping results

Results Per Document can be grouped by metadata assigned to the document (Date, Localisation, Text type, and Title and author). The example below shows all documents in which the Lemma *GOD* occurs grouped by witness decade.

Results for: [lemma="GOD"] within all documents

Per Hit Per Document

Documents / Grouped by Document Witness Decade Total documents: 9 (10%)
Total groups: 4
Search time: 0s

Group Results + Metadata ✕

Document Witness Decade ✕

Select the metadata to group on.

Group by Witness Decade ▾

Case sensitive:

Clear Group

« 1 » table docs

Group	#docs in group	Relative frequency (docs)
950	4	44.4%
1170	3	33.3%
1100	1	11.1%
790	1	11.1%

Exporting results

The search results - both Per hit as Per document - can be exported by using the Export or the Export for Excel button at the bottom right of the page. The first button transfers the search results - including all metadata - to a Comma-Separated Values-file. These CSV-files consist only of text data, which makes it easy to implement (read and/or write) them into a spreadsheet or database program. The second button offers the possibility to export the results - including all metadata - to a CSV-file for use with Excel.

Grouped results can be exported in the same way. However, if you would like to have the metadata with each concordance of a group, you must first click on the red bar of a specific group and then on View detailed concordances. The results you then see can be exported by the use of the Export buttons. This operation must be carried out for each individual group you wish to export.

Information about a document

Click on a document title or the chain icon in the per hit view to open this document in a new window: the Content window.

Content

Hits from the current query will be highlighted in bold in the opened document. In the case of several hits only the current hit will also appear in shadow (such as *solidus* in the example below). You can navigate from one hit to another by using the arrows at the Hits button (this button can be dragged around):



The screenshot shows a document viewer for 'Lex Salica'. At the top, there is a 'Hit' button with navigation arrows and a counter '1/188'. The document text is displayed in two columns. The word 'solidus' is highlighted in red in several places. A pop-up window is visible over the first instance of 'solidus', showing the modern lemma 'SOLIDUS' and the option 'Show details'.

Lex Salica

Hit 1/188

Si quis porcellum lactantem de cranne furauerit et ei fuerit adprobatum, mallobergo chranne chalti rechalti <sunt dinarii CXX qui faciunt **solidus** III culpabilis iudicetur.

Si quis porcellum furauerit, qui sine matre uiuere possit, et ei fuerit adprobatum, mallobergo hymnis thetica <sunt dinarii XL qui faciunt **solidus** I culpabilis iudicetur excepto capitale et dilatura.

Si quis bimum porcum furauerit, mallobergo inzimus suani <id est, **solidus** XV culpabilis iudicetur excepto capitale et dilatura.

Si quis bimum porcum furauerit, mallobergo inzimus suani <id est, **solidus** XV culpabilis iudicetur excepto capitale et dilatura.

Als iemand een zuigende big uit de omheining steelt en het wordt hem bewezen - gerechtelijk binnen de omheining verblijvende big -, worde hij tot 120 penningen veroordeeld, die maken 3 schelling.

Als iemand een big van het veld steelt, die zonder moeder kan leven - gerechtelijk 'eenjaar-vee' of 'loper' - worde hij tot 40 penningen, die maken 1 schelling, veroordeeld zonder waarde en weigeringsgeld.

Als iemand een tweejarig varken - gerechtelijk: kuddejaarling - steelt worde hij veroordeeld tot 600 penningen, die maken 15 schellingen, behalve waarde en weigeringsgeld.

Als iemand een tweejarig varken steelt - gerechtelijk: jaarling van de kudde -, worde hij veroordeeld tot 600 penningen, die maken 15 schellingen, behalve waarde en weigeringsgeld.

When you hover with your mouse over a specific word in the document a pop-up will appear with the modern lemma in capitals and the option Show details. By clicking this link you will see extra information on word level:

Word: wif
 Word id: w.25014
 Lemma: WIJF
 Part of speech: NOU-C(number=sg,case=acc,gender=n)

Matching lemmata in the Dictionary of Old Dutch:

- WIJF (NOU-C)

Iz hedde thar ein gut **wif** iz were ére also lief so ther li

Note that for the foreign (Latin) words there is no option for details, as these words do not have a modern lemma in the Dictionary of Old Dutch. Here, all the information is directly shown by hovering over or clicking on the specific word with your mouse:

Word: solidus
 Word id: w.spec.c14bf795-b5ff-4214-bc31-85ca68d7309e
 Part of speech: RES(type=for)

unt dinarii CXX qui faciunt > **solidus** III culpabilis iudicetur.

Metadata of a document

In the Metadata tab all metadata properties of the document are displayed.

Statistics

The Statistics tab shows several document statistics: the number of Tokens, Types (unique word forms), Lemmas, Part of Speech and the Type/Token ratio. It is possible to print or to download these statistics via the menu symbol right of the title Token/Part of Speech Distribution respectively the title Vocabulary Growth.

Exploring the corpus

The Explore tab has three subdivisions: Documents, N-grams and Statistics.

Documents

This subtab allows you to investigate the documents. It consists of two drop-down menus to specify the grouping of the metadata and to specify the way the groups are to be shown.

A simple example: suppose we want to obtain information about the Localisation of Old Dutch documents dating from 700 to 800 within the *Corpus Oudnederlands*.

- In the Group documents by metadata drop-down menu, choose Group by Area
- In Show groups as, select *Docs*
- In the metadata search form (Filter search by), fill in at Witness Year 700 and 800
- Press 'Search'

Search Explore

Explore ...

Documents N-grams Statistics

Group documents by metadata

Show groups as

Filter search by ...

Date 1 Localization Text type Title and author

Witness Year

Permissive Strict

You will get this result:

Per Hit Per Document

Documents / Grouped by Document Area Total documents: 7 (100%)
Total groups: 3
Search time: 0.002s

Group Results + Metadata

Document Area

Select the metadata to group on.

Case sensitive:

« 1 » table docs tokens

Group	#docs in group	Relative frequency (docs)
Unspecified	4	57.1%
Groningen	2	28.6%
Utrecht	1	14.3%

N-grams

An *N-gram* is a sequence of N items. This option will list the frequency of different N-grams in a (sub-)corpus.

Options

- *N-gram size*: the length of the sequence (a number from 1 to 5; default setting is 5).
- *N-gram type*: the attribute to search for. You can choose: Word (i.e. word form), Lemma, Part of Speech or Part of Speech with features. If you do not specify the search term further, a series of arbitrary tokens equal to the n-gram size will be searched for.
- It is also possible to restrict to, for instance, n-grams with some slots already specified, as is shown in the following example.
- By using the Filter search by... you can create a subcorpus within the *Corpus Oudnederlands* for specific metadata.

Example

Search | Explore

Explore ...

Documents | N-grams | Statistics

N-gram size: 5

N-gram type: Word

Word | Word | Lemma | Word | Part of Speech

in | Word | man | Word | Verb

Within all the documents of the *Corpus Oudnederlands*, you will find two occurrences of this so-called 5-gram:

Per Hit | Per Document

Hits / Grouped by Word within hit

Total hits: 2 (0.00325%)
Total groups: 2
Search time: 0.002s

Group Results | + Annotation | + Metadata

Word within hit

I want to group on: all words | within the hit | using annotation | Word

Case sensitive:

genere mi fan uuirkindon unreht | **in fan mannon bluodo behalt** | mi vuanda ecco fiengon sela

Clear | Group

« 1 » | table | hits

Group	#hits in group	Relative frequency (hits)
in fan mannon bluodo behalt	1	0.00162%
in mit mannon ne sulun	1	0.00162%

Statistics (frequency lists)

Here, you can produce frequency lists for the corpus. It is rather similar to the previous option, but restricted to 1-grams.

Options

- *Frequency list type*: choose for lists of Word (i.e. Word form), Lemma, Part of Speech or Part of Speech with features.
- By using the Filter search by... you can create a subcorpus within the *Corpus Oudnederlands* for specific metadata.

Example

It is possible to determine the use of the most frequently used Old Dutch words in Utrecht in the *Corpus Oudnederlands* by searching for Frequency list type Word and by filtering search by Area: *Utrecht*. This results in:

Results for: Word frequency within documents where Area: Utrecht

Per Hit Per Document

Hits / Grouped by Word within hit

Total hits: 134 (100%)
Total groups: 57
Search time: 0.001s

Group Results + Annotation + Metadata

Word within hit

I want to group on using annotation

Case sensitive:

 *autem nos dicimus *sinu *gelp*
*autem nos dicimus *sinu *gelp*

« 1 2 3 » table hits

Group	#hits in group	Relative frequency (hits)
allum	9	6.72%
end	7	5.22%
in	6	4.48%
ec	5	3.73%
Forsachistu	5	3.73%
nos	4	2.99%
diobolae.	4	2.99%
dioboles	4	2.99%
dicimus	4	2.99%
uuercum	4	2.99%
Pompas	4	2.99%
forsacho	4	2.99%
autem	4	2.99%

Appendix: Corpus Query Language

BlackLab supports Corpus Query Language, a full-featured query language introduced by the IMS Corpus WorkBench (CWB) and also supported by the Lexicom Sketch Engine. It is a standard and powerful way of searching corpus.

The basics of Corpus Query Language is the same in all three projects, but there are a few minor differences in some of the more advanced features, as well as some features that are exclusive to some projects. For most queries however, this will not be an issue.

This page will introduce the query language and show all features that BlackLab supports. If you want to learn even more about CQL, see [CWB CQP Query Language Tutorial](#) and [Sketch Engine Corpus Query Language](#).

CQL support

For those who already know CQL, here's a quick overview of the extent of BlackLab's support for this query language. If there is a feature we don't support, yet is important to you, please let us know. If it's quick to add, we may be able to help you out.

Supported features

BlackLab currently supports (arguably) most of the important features of Corpus Query Language:

- Matching on token annotations (also called properties or attributes), using regular expressions and =, !=, !. Example: [word="bank"] (or just "bank")
- Case/accent-sensitive matching. Note that, unlike in CWB, case-INsensitive matching is currently the default. To explicitly match case/accent-insensitivity, use "(?i)...". Example: "(?i)Mr\." "(?i)Banks"
- Combining criteria using &, | and !. Parentheses can also be used for grouping. Example: [lemma="bank" & pos="V"]
- Match-all pattern [] matches any token. Example: "a" [] "day"
- Regular expression operators +, *, ?, {n}, {n,m} at the token level. Example: [pos="AA"]+
- Sequences of token constraints. Example: [pos="AA"] "cow"
- Operators |, & and parentheses can be used to build complex sequence queries. Example: "happy" "dog" | "sad" cat"
- Querying with tag positions using e.g. <s> (start of sentence), </s> (end of sentence), <s/> (whole sentence) or <s> ... </s> (equivalent to <s/> containing ...). Example: <s> "The" . XML attribute values may be used as well, e.g. <ne type="PERS"/> ("named entities that are persons").
- Using within and containing operators to find hits inside another set of hits. Example: "you" "are" within <s/>
- Using an anchor to capture a token position. Example: "big" A:[]. Captured matches can be used in global constraints (see next item) or processed separately later (using the Java interface; capture information is not yet returned by BlackLab Server). Note that BlackLab can actually capture entire groups of tokens as well, similarly to regular expression engines.

- Global constraints on captured tokens, such as requiring them to contain the same word.
Example: "big" A:[] "or" "small" B:[] :: A.word = B.word

See below for features not in this list that may be added soon, and let us know if you want a particular feature to be added.

Differences from CWB

BlackLab's CQL syntax and behaviour differs in a few small ways from CWBs. In future, we'll aim towards greater compliance with CWB's de-facto standard (with some extra features and conveniences).

For now, here's what you should know:

- Case-insensitive search is currently the default in BlackLab, although you can change this if you wish. CWB and Sketch Engine use case-sensitive search as the default. We may change our default in a future major version.
If you want to switch case-/diacritics-sensitivity, use "(?-i).." (case-sensitive) or "(?i).." (case-insensitive, usually the default). CWBs %cd flags for setting case/diacritics-sensitivity are not (yet) supported, but will be added.
- If you want to match a string literally, not as a regular expression, use backslash escaping: "e.g.". %l for literal matching is not yet supported, but will be added.
- BlackLab supports result set manipulation such as: sorting (including on specific context words), grouping/frequency distribution, subsets, sampling, setting context size, etc. However, these are supported through the REST and Java APIs, not through a command interface like in CWB. See [BlackLab Server overview](#).
- Querying XML elements and attributes looks natural in BlackLab: <s/> means "sentences", <s> means "starts of sentences", <s type='A'> means "sentence tags with a type attribute with value A". This natural syntax differs from CWBs in some places, however, particularly when matching XML attributes. While we believe our syntax is the superior one, we may add support for the CWB syntax as an alternative.
We only support literal matching of XML attributes at the moment, but this will be expanded to full regex matching.
- In global constraints (expressions occurring after ::), only literal matching (no regex matching) is currently supported. Regex matching will be added soon. For now, instead of A:[] "dog" :: A.word = "happy|sad", use "happy|sad" "dog".
- To expand your query to return whole sentences, use <s/> containing (...). We don't yet support CWBs expand to, expand left to, etc., but may add this in the future.
- The implication operator -> is currently only supported in global constraints (expressions after the :: operator), not in regular token constraints. We may add this if there's demand for it.
- We don't support the @ anchor and corresponding target label; use a named anchor instead. If someone makes a good case for it, we will consider adding this feature.
- backreferences to anchors only work in global constraints, so this doesn't work: A:[] [] [word = A.word]. Instead, use something like: A:[] [] B:[] :: A.word = B.word. We hope to add support for these in the near future, but our matching approach may not allow full support for this in all cases.

(Currently) unsupported features

The following features are not (yet) supported:

- intersection, union and difference operators. These three operators will be added in the future. For now, the first two can be achieved using & and | at the sequence level, e.g. "double" [] & [] "trouble" to match the intersection of these queries, i.e. "double trouble" and "happy" "dog" | "sad "cat" to match the union of "happy dog" and "sad cat".
- _ meaning "the current token" in token constraints. We will add this soon.
- lbound, rbound functions to get the edge of a region. We will probably add these.
- distance, distabs functions and match, matchend anchor points (sometimes used in global constraints). We will see about adding these.
- using an XML element name to mean 'token is contained within', like [(pos = "N") & !np] meaning "noun NOT inside in an tag". We will see about adding these.
- a number of less well-known features. If people ask, we will consider adding them.

Using Corpus Query Language

Matching tokens

Corpus Query Language is a way to specify a "pattern" of tokens (i.e. words) you're looking for. A simple pattern is this one:

```
[word="man"]
```

This simply searches for all occurrences of the word "man". If your corpus includes the per-word properties lemma (i.e. headword) and pos (part-of-speech, i.e. noun, verb, etc.), you can query those as well. For example, to find a form of word "search" used as a noun, use this query:

```
[lemma="search" & pos="NOU-C"]
```

This query would match "search" and "searches" where used as a noun. (Of course, your data may contain slightly different part-of-speech tags.)

The first query could be written even simpler without brackets, because "word" is the default property:

```
"man"
```

You can use the "does not equal" operator (!=) to search for all words except nouns:

```
[pos != "NOU-C"]
```

The strings between quotes can also contain wildcards, of sorts. To be precise, they are [regular expressions](#), which provide a flexible way of matching strings of text. For example, to find "man" or "woman", use:

```
"(wo)?man"
```

And to find lemmata starting with "under", use:

```
[lemma="under.*"]
```

Explaining regular expression syntax is beyond the scope of this document, but for a complete overview, see [here](#).

Sequences

Corpus Query Language allows you to search for sequences of words as well (i.e. phrase searches, but with many more possibilities). To search for the phrase "the tall man", use this query:

```
"the" "tall" "man"
```

It might seem a bit clunky to separately quote each word, but this allows us the flexibility to specify exactly what kinds of words we're looking for. For example, if you want to know all single adjectives used with man (not just "tall"), use this:

```
"an?|the" [pos="AA"] "man"
```

This would also match "a wise man", "an important man", "the foolish man", etc.

Regular expression operators on tokens

Corpus Query Language really starts to shine when you use the regular expression operators on whole tokens as well. If we want to see not just single adjectives applied to "man", but multiple as well:

```
"an?|the" [pos="AA"]+ "man"
```

This query matches "a little green man", for example. The plus sign after [pos="AA"] says that the preceding part should occur one or more times (similarly, * means "zero or more times", and ? means "zero or one time").

If you only want matches with two or three adjectives, you can specify that too:

```
"an?|the" [pos="AA"] {2,3} "man"
```

Or, for two or more adjectives:

```
"an?|the" [pos="AA"] {2,} "man"
```

You can group sequences of tokens with parentheses and apply operators to the whole group as well. To search for a sequence of nouns, each optionally preceded by an article:

```
("an?|the"? [pos="NOU-C"])+
```

This would, for example, match the well-known palindrome "a man, a plan, a canal: Panama!"

Punctuation

In BlackLab, punctuation tends to not be indexed as a separate token, but as a property of a word token - CWB and Sketch Engine on the other hand tend to index punctuation as a separate token instead. You certainly could choose to index punctuation as a separate token in BlackLab, by the way -- it's just not commonly done. Both approaches have their advantages and disadvantages, and of course the choice affects how you write your queries.

It is possible to search for punctuation marks. E.g. to find occurrences of the word "want" preceded by a comma use the following query:

```
[punctBefore=", " & word="want"]
```

To find occurrences of the lemma "krant" that are followed by an exclamation mark, use:

```
[lemma="krant" & punctAfter="!"]
```

Some punctuation marks have a special function in regular expressions and therefore must be preceded by a backslash (\) when used in queries. For instance, to search for a period (.) after the word "geweest", use:

```
[word="sentence" & punctAfter="\."]
```

Case- and diacritics-sensitivity

CWB and Sketch Engine both default to (case- and diacritics-)sensitive search. That is, they exactly match upper- and lowercase letters in your query, plus any accented letters in the query as well. BlackLab, on the contrary, defaults to *IN*sensitive search (although this default can be changed if you like). To match a pattern sensitively, prefix it with "(?-i)":

```
"(?-i) Panama"
```

If you've changed the default search to sensitive, but you wish to match a pattern in your query insensitively, prefix it with "(?i)":

```
[pos="( ?i) NOU-C"]
```

Although BlackLab is capable of setting case- and diacritics-sensitivity separately, it is not yet possible from Corpus Query Language. We may add this capability if requested.

Matching XML elements

Corpus Query Language allows you to find text in relation to XML elements that occur in it. For example, if your data contains sentence tags, you could look for sentences starting with "the":

```
<s>"the"
```

Similarly, to find sentences ending in "that", you would use:

```
"that" </s>
```

You can also search for words occurring inside a specific element. Say you've run named entity recognition on your data and all person names are surrounded with <person>...</person> tags. To find the word "baker" as part of a person's name, use:

```
"baker" within <person/>
```

Note the forward slash at the end of the tag. This way of referring to the element means "the whole element". Compare this to <person>, which means "the element's open tag", and </person>, which means "the element's close tag".

The above query will just match the word "baker" as part of a person's name. But you're likely more

interested in the entire name that contains the word "baker". So, to find those full names, use:

```
<person/> containing "baker"
```

Or, if you simply want to find all persons, use:

```
<person/>
```

As you can see, the XML element reference is just another query that yields a number of matches. So as you might have guessed, you can use "within" and "containing" with any other query as well. For example:

```
([pos="AA"]+ containing "tall") "man"
```

will find adjectives applied to man, where one of those adjectives is "tall".

Labeling tokens, capturing groups

Just like in regular expressions, it is possible to "capture" part of the match for your query in a "group".

CWB and Sketch Engine offer similar functionality, but instead of capturing part of the query, they label a single token. BlackLab's functionality is very similar but can capture a number of tokens as well. For example:

```
"an?|the" Adjectives:[pos="AA"]+ "man"
```

This will capture the adjectives found for each match in a captured group named "Adjectives".

BlackLab also supports numbered groups:

```
"an?|the" 1:[pos="AA"]+ "man"
```

Global constraints

If you tag certain tokens with labels, you can also apply "global constraints" on these tokens. This is a way of relating different tokens to one another, for example requiring that they correspond to the same word:

```
A:[ ] "by" B:[ ] :: A.word = B.word
```

This would match "day by day", "step by step", etc.